Renton Homes Sample Specifications

Exterior Features

Lumber

Floor Joists Manufactured "I" joists or dimensional lumber per engineering. Sub floor 3/4" T&G wafer board glued with construction adhesive and nailed.

Exterior Studs 2x6 std or better H/F.

Exterior Sheathing 7/16 OSB wafer board (2 layers required for sound reduction).

Interior Studs 2x4 std or better H/F.

Roof

Trusses Manufactured engineered trusses per plan.

Sheathing 7/16 OSB wafer board (2 layers required for sound reduction).

Shingles 30 year Architectural composition.

Siding

Front Walls Cement fiberboard lap siding (details vary per plan).
Front Gables Hardishake or 7/16 LP with 1x2 batts (board & batt).
Rear & Sides Cement fiberboard lap siding and/or T1-11 panel siding.

Corner Boards 4" primed white wood.

Belly Band Primed white wood in front only (details vary per plan). Window Trim Primed white wood in front only (details vary per plan).

Doors

Front Door Single 3/0 x 6/8 paneled fiberglass door with glass at top. Rear Door Vinyl sliding glass door or a single 2 panel ½ light door.

Garage Door 1 - 16' x 8' Steel raised panel overhead door.

Windows

Windows White vinyl as per code (upgraded glass for sound reduction code).

Grids Varies.

Screens All opening windows and sliding door.

Paint

*Exterior surfaces will get 1 coat of paint or stain as below. Some light paints may require 2 coats, which will result in an extra charge.

Exterior Walls Sherwin Williams flat latex. Exterior Trim Sherwin Williams flat latex.

Patio

Initials	 Initials	

^{*8}x10 or equivalent S.F. of exposed aggregate concrete.

^{*}Site geography may require us to build an exterior wood porch of the equivalent size.

Driveway, Garage Slab, and Walkways

Driveway	Exposed aggregate the width of garage opening.
Walkways	Exposed aggregate as per plans & site requirements.

Garage Floor Smooth finish concrete.

Landscaping

Front Sod, trees, shrubs as per landscape designer.

Sides & Rear Not included. Straw may be required due to erosion control

efforts.

Interior Features

Plumbing

Kitchen 1-8" stainless sink.

Chrome pullout faucet. Garbage disposal. Ice maker water box.

Powder Room 1- Pedestal sink.

Dual lever chrome faucet.

Toilet with seat and a chrome lever.

Main Bathroom 1-20x17 oval porcelain white sink.

Simulated tile fiberglass tub/shower insert.

Chrome faucet.

Single control chrome faucet for tub/shower.

Toilet with seat and a chrome lever.

Master Bathroom 2-20x17 oval porcelain white sinks.

Dual lever brushed nickel faucets. Simulated tile fiberglass shower insert.

Fiberglass soaking tub.

Brushed nickel shower faucet.

Roman brushed nickel soaking tub faucet.

Toilet with seat and a chrome lever.

Laundry Room Specialty PVC box for washing machine hookups.

Electrical/Wiring

Cable Outlets 3 included.
Phone Outlets 3 included.
Security System Not Included.

.

Initials____ Initials____ __

Heating and Air Conditioning

Furnace Natural gas forced air furnace.

Hot Water 40-gallon elec. tank.

Fireplace None.

Air Conditioner Not included.

Insulation

*Shall be installed to comply with local building codes.

Exterior Walls R21

Ceilings R30 (10" thickness)

Vaults R38 Floors R30

Drywall

Walls & Ceilings Thickness as per code.

Material Gypsum board.
Finish Light dash texture.
Corners Square corners.

Interior Finish Features

Entry Foyer

Floor Laminate plank flooring.

Molding 2-1/4" embossed base & case.

Light Fixture Builders standard spec.
Window Trim Sill & apron embossed trim.
Paint Sherwin Williams flat latex.

Hallways

Floor Stain resistant carpet with 6# pad.

Molding 2-1/4" embossed base & case.

Window Trim Sill & apron embossed trim.

Paint Sherwin Williams flat latex.

Kitchen

Floor Laminate plank flooring.
Molding 2-1/4" embossed base & case.

Light Fixture Builders standard spec.

Cabinets Shaker style per color selection with crown molding.

Counter Top laminate countertop

Back Splash Ceramic tile.

Paint Sherwin Williams flat latex.

Appliances Sink w/disposal, Dishwasher, Elec. Range with a Micro

Hood. Black or White is standard color.

Initials _____ _

Family Room

Floor Stain resistant carpet with 6# pad.
Molding 2-1/4" embossed base & case.
Window Trim Sill & apron embossed trim.
Paint Sherwin Williams flat latex.

Powder Room

Floor Laminate Plank flooring.

Molding 2-1/4" embossed base & case.

Hardware 1-T.P holder, 1-towel ring.

Paint Sherwin Williams latex eggshell.

Den

Floor Stain resistant carpet with 6# pad.
Molding 2-1/4" embossed base & case.
Window Trim Sill & apron embossed trim.
Paint Sherwin Williams flat latex.

Master Bedroom

Floor Stain resistant carpet with 6# pad.

Molding 2-1/4" embossed base & case.

Window Trim Sill & apron embossed trim.

Light Fixture Builders standard spec.

Paint Sherwin Williams flat latex.

Closet Shelving 1 row of white wire shelving around the perimeter.

Master Bath

Floor Vinyl. Tub Deck None.

Cabinets Flat panel per color selection.

Counter Top Laminate with ceramic tile backsplash.

Light Fixture Builders standard spec.

Molding 2-1/4" embossed base & case. Window Trim Sill & apron embossed trim.

Hardware 1-T.P holder, 1-24" towel rack, 1-towel ring.

Paint Sherwin Williams latex eggshell.

Main Bath

Floor Vinyl.

Cabinets Flat panel per color selection.

Counter Top Laminate with a tile backsplash.

Molding 2-1/4" embossed base & case.

Window Trim Sill & apron embossed trim.

Hardware 1-T.P holder, 1-24" towel rack, 1-towel ring.

Paint Sherwin Williams latex eggshell.

Initials____ Initials____ _



Hallways

Floor Stain resistant carpet with 6# pad.

Molding 2-1/4" embossed base & case.

Window Trim Sill & apron embossed trim.

Light Fixtures Builders standard spec.

Closet shelving White wire shelving stacked per plan.

Paint Sherwin Williams flat latex.

Bedrooms

Floor Stain resistant carpet with 6# pad.

Molding 2-1/4" embossed base & case.

Window Trim Sill & apron embossed trim.

Light Fixture Builders standard spec.

Closet Shelving 1 row of white wire shelving.

Paint Sherwin Williams flat latex.

Stairs

Handrail Stained/painted to match millwork attached to wall.

Railing ½ wall with cap.

Hardware

Light Fixtures Brushed Nickel.

Door Hardware Brushed Nickel.

Initials_____ Initials_____ __